

## CONTENTS

(Abstracts/contents lists published in: *Chem. Abstr.*; *Curr. Contents*; *Phys. Chem. Earth Sci.*, *Life Sci.*)

The nuclear Overhauser effect and structural factors determining the conformations of disaccharide glycosides G. M. LIPKIND, A. S. SHASHKOV, S. S. MAMYAN, AND N. K. KOCHETKOV (Moscow, U.S.S.R.) . . . . .	1
The interaction of lead(II) with glycuronans: u.v. absorption and circular dichroism spectra A. CESÀRO, F. DELBEN, A. FLAIBANI, AND S. PAOLETTI (Trieste, Italy) . . . . .	13
Cation interactions in gellan: an X-ray study of the potassium salt R. CHANDRASEKARAN, L. C. PUIGJANER, K. L. JOYCE, AND S. ARNOTT (West Lafayette, IN, U.S.A.) . . . . .	23
Crystal structure and conformational features of $\alpha$ -panose S. IMBERTY (Saint Martin d'Hères, France) AND S. PÉREZ (Nantes, France) . . . . .	41
Synthesis of pseudo-trehaloses: [(1,2,4/3,5)-2,3,4-trihydroxy-5-hydroxymethyl-1-cyclohexyl] D-glucopyranosides S. OGAWA, S. YOKOI, N. KIMURA, Y. SHIBATA, AND N. CHIDA (Yokohama, Japan) . . . . .	57
Action of ultrasound on deoxygenated aqueous solutions of D-glucose H. HEUSINGER (Garching, F.R.G.) . . . . .	67
Epimerization during the acetolysis of 3-O-acetyl-5-O-benzoyl-1,2-O-isopropylidene-3-C-methyl- $\alpha$ -D-ribofuranose. Synthesis of 3'-C-methylnucleosides with the $\beta$ -D-ribo- and $\alpha$ -D-arabino configurations L. N. BEIGELMAN, G. V. GURSKAYA, E. N. TSAPKINA, AND S. N. MIKHAILOV (Moscow, U.S.S.R.) . . . . .	77
Partially esterified sucrose derivatives: synthesis of 6-O-acetyl-2,3,4-tri-O-[(S)-3-methylpentanoyl]sucrose, a naturally occurring flavour precursor of tobacco P. J. GAREGG, S. OSCARSON, AND H. RITZÉN (Stockholm, Sweden) . . . . .	89
Ring expansions in carbohydrate chemistry: <i>gem</i> -azoacetates J. M. J. TRONCHET, J. F. TRONCHET, F. RACHIDZADEH, F. BARBALAT-REY, AND G. BERNADINELLI (Geneva, Switzerland) . . . . .	97
Two methyl anhydro-D-fructopyranosides prepared from D-mannitol H. B. SINCLAIR (Peoria, IL, U.S.A.) . . . . .	115
Synthesis of 2-deoxy-D-arabino-(6- $^{13}$ C)hexose T. E. WALKER, D. S. EHLER, AND C. J. UNKEFER (Los Alamos, NM, U.S.A.) . . . . .	125
The sulfated polysaccharide-peptidoglycan complex potentially inhibits embryonic angiogenesis and tumor growth in the presence of cortisone acetate K. INOUE, H. KORENAGA, N. G. TANAKA, N. SAKAMOTO, AND S. KADOYA (Tokyo, Japan) . . . . .	135
Characterization of the exocellular polysaccharides from <i>Azotobacter chroococcum</i> G. L. COTE AND L. H. KRULL (Peoria, IL, U.S.A.) . . . . .	143

(Continued overleaf)

Bacteriophage degradation of the capsular polysaccharide from <i>Klebsiella</i> K69: location of the <i>O</i> -acetyl groups P. L. HACKLAND, H. PAROLIS (Grahamstown, South Africa), A. DELL, AND P. R. TILLER (London, Gt. Britain) . . . . .	153
<i>Neisseria perflava</i> amylase: characterization of its product polysaccharide and a study of its inhibition by sucrose derivatives B. Y. TAO, P. J. REILLY, AND J. F. ROBYT (Ames, IA, U.S.A.) . . . . .	163
Characterisation of anti-complementary acidic heteroglycans from the leaves of <i>Panax ginseng</i> C. A. MEYER Q.-P. GAO, H. KIOHARA, J.-C. CYONG, AND H. YAMADA (Tokyo, Japan) . . . . .	175
1,5-Anhydro- $\beta$ -L-arabinofuranose from pyrolysis of plant cell wall materials (biomass) M. G. ESSIG AND G. N. RICHARDS (Missoula, MT, U.S.A.) . . . . .	189
A glucomannan from <i>Candida utilis</i> methylation analysis and fragmentation analysis by controlled acetolysis of the glucomannan K. OGAWA, K. MATSUDA, K. TAMARI, AND S. KIYO-OKA (Fukushima, Japan) . . . . .	197
Minor, protein-containing galactomannans from the insect-body portion of the fungal preparation Chán Huà ( <i>Cordyceps cicadae</i> ) T. KIHIO, I. MIYAMOTO, K. NAGAI, S. UKAI, AND C. HARA, (Gifu, Japan) . . . . .	207
<i>Notes</i>	
N.m.r. data on ketohexose nucleosides F. LECLERQ AND K. ANTONAKIS (Villejuif, France) . . . . .	217
Semiempirical, sodium-D-molar rotations of pyranosides and other carbohydrate model compounds B. K. SATHYANARAYANA AND E. S. STEVENS (Binghamton, NY, U.S.A.) . . . . .	223
A $^{13}\text{C}$ -n.m.r. study of the 6-deoxy-D-altropyranose-containing pentasaccharide chain present in a polysialoglycoprotein isolated from the eggs of <i>Salvelinus leucomaenis pluvius</i> (Japanese common char; <i>Iwana</i> ) M. IWASAKI AND S. INOUE (Tokyo, Japan) . . . . .	229
Assignment of the <i>O</i> -acetyl carbonyl carbon atoms of cellulose triacetate via 2D, long-range, proton-carbon chemical-shift-correlation data P. DAIS (Crete, Greece) AND A. S. PERLIN (Montreal, Quebec, Canada) . . . . .	233
Further use of <i>O</i> -(2,3,4-tri- <i>O</i> -acetyl- $\alpha$ -L-fucopyranosyl)-(1 $\rightarrow$ 3)- <i>O</i> -(2-acetamido-4,6-di- <i>O</i> -acetyl-2-deoxy- $\beta$ -D-glucopyranosyl)-(1 $\rightarrow$ 3)-2,4,6-tri- <i>O</i> -acetyl- $\alpha$ -D-galactopyranosyl bromide as a glycosyl donor. Synthesis of two mucin-type tetrasaccharides R. DUBEY, S. A. ABBAS, AND K. L. MATTA (Buffalo, NY, U.S.A.) . . . . .	236
<i>Streptococcus pneumoniae</i> type 19A polysaccharide. Synthesis of the trisaccharide component of the repeating unit L. PANZA, F. RONCHETTI, AND L. TOMA (Milan, Italy) . . . . .	242

A new approach to the synthesis and selective hydrolysis of <i>tert</i> -butyl glycosides J. M. LACOMBE, N. RAKOTOMANOMANA, AND A. A. PAVIA, (Avignon, France) . . . .	246
Synthesis of aminoglycal derivatives, precursors of glycosidic moieties of antitumor anthracyclines J.-C. FLORENT, J. UGHETTO-MONFRIN, AND C. MONNERET (Paris, France) . . . .	253
Preparation of some aryl $\alpha$ -L-arabinofuranosides as substrates for arabinofuranosidase M. A. KELLY, M. L. SINNOTT, AND D. WIDDOWS (Bristol, Gt. Britain) . . . . .	262
Synthesis of 2,3- <i>O</i> -isopropylidene- and 3- <i>O</i> -benzoyl-2- <i>O</i> -benzyl-2- <i>C</i> -methyl-L-glyceraldehyde M. YAMAURA, T. SUZUKI, Y. TAGAMI, H. HASHIMOTO, AND J. YOSHIMURA (Yokohama, Japan) . . . . .	267
Xyloglucan in the cell walls of cotton fiber T. HAYASHI AND D. P. DELMER (Dublin, CA, U.S.A.) . . . . .	273
A xyloglucan from olive pulp A. GIL-SERRANO AND P. TEJERO-MATEO (Seville, Spain) . . . . .	278
Structure of the exocellular polysaccharide produced by the fungus <i>Nomuraea rileyi</i> J.-P. LATGÉ (Paris, France), D. G. BOUCIAS, (Gainesville, FL, U.S.A.), AND B. FOURNET (Villeneuve d'Ascq, France) . . . . .	282
A neutral seed-gum from <i>Crotalaria verrucosa</i> R. GUPTA AND P. CHANDRA GUPTA (Allahabad, India) . . . . .	287
Author index . . . . .	c1
Subject index . . . . .	c3